


## CLAIMS:

- 1) An antiparasitic formulation characterized in that it comprises, as active ingredients, spinosyn(s) in combination with a compound of formula (I)

5



10

and salts thereof, in which

- 15 Ar is 2,6-dichloro-4-trifluoromethylphenyl or 2-nitro-4-trifluoromethylphenyl;  
 A is  $S(O)_m$ ,  $-CH=CH-$ , O or NH;  
 W is N and Z is CR<sup>5</sup>; or W is CR<sup>1</sup> and Z is N or CR<sup>5</sup>;  
 R<sup>1</sup> is hydrogen, optionally substituted alkyl, halogen or R<sup>20</sup>S(O)<sub>q</sub>;  
 R<sup>2</sup> and R<sup>3</sup> are hydrogen, alkyl, alkenyl or alkynyl, each of which is optionally  
 20 substituted, aryl, cyano, halogen, nitro, YR<sup>20</sup>, S(O)<sub>2</sub>NR<sup>8</sup>R<sup>9</sup>, CHO, NR<sup>8</sup>R<sup>9</sup> or CYNR<sup>8</sup>R<sup>9</sup>;  
 R<sup>4</sup> is hydrogen, optionally substituted alkyl, optionally substituted alkenyl, acyl or  
 optionally substituted alkoxy carbonyl;  
 R<sup>5</sup> is hydrogen, alkyl, optionally substituted amino or halogen;  
 R<sup>8</sup> and R<sup>9</sup> are the same or different and are hydrogen, optionally substituted alkyl,  
 25 acyl or aryl;  
 R<sup>20</sup> is optionally substituted alkyl;  
 Y is O or S;  
 m is 0, 1 or 2;  
 p is 0 or 1;  
 30 n is 0, 1 or 2; and  
 q is 0, 1 or 2,  
 and in which a) any alkyl, alkoxy and alkylthio groups is of 1 to 4 carbon atoms; b)  
 any alkenyl or alkynyl groups is of 2 to 5 carbon atoms; c) any substituted alkyl,  
 alkoxy, alkylthio, alkenyl or alkynyl group is substituted by one or more of the same  
 35 or different groups selected from halogen, YR<sup>20</sup>, dihalocyclopropyl, cyano, nitro,  
 optionally substituted amino, acyloxy and aryl; d) any aryl group is phenyl, optionally  
 substituted, by halogen, alkyl, haloalkyl, alkoxy, haloalkoxy, alkylthio, haloalkylthio,  
 haloalkylsulphonyl, cyano or nitro; e) any acyl group is alkanoyl of 1 to 4 carbon  
 atoms, or alkylsulphonyl or haloalkylsulphonyl; and f) any optionally substituted  
 40 amino groups is of formula NR<sup>8</sup>R<sup>9</sup>, with the proviso that when W is CR<sup>1</sup> and Z is CR<sup>5</sup>  
 and n and p are both 0, R<sup>4</sup> is not alkyl.

- 2) The formulation according to claim 1 characterized in that the compound of formula (I) is 5-chloro-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-(4,5-dicyano-1H-imidazol-2-yl-3-methyl-1-H pyrazole (compound 22c).
- 5 3) The formulation according to claim 1 or 2 characterized in that the spinosyns are a mixture of any two or more spinosyn compounds.
- 4) The formulation according to claim 3 characterized in that the mixture is spinosad.
- 10 5) The formulation according to any of claims 1-4 characterized in that the compound of formula (I) and one or more spinosyns are present in a ratio of 1:10 to 10:1.
- 6) Use of one or more spinosyns and at least one compound according to formula 1 as active ingredients in the manufacture of a medicament for controlling an ectoparasite infestation by administering the active ingredients in combination, either simultaneously or sequentially.
- 15 7) Use according to claim 6 wherein the active ingredients are 5-chloro-1-(2,6-dichloro-4-trifluoromethylphenyl)-4-(4,5-dicyano-1H-imidazol-2-yl-3-methyl-1-H pyrazole and spinosad.
- 8) Use according to claim 6 or 7, wherein the medicament is for controlling an ectoparasite infestation by administering the active ingredients simultaneously.
- 20 9) Use according to claim 8, wherein the medicament comprises the active ingredients in a single preparation.
- 10) Use according to claim 6 wherein the ectoparasites are ticks.
- 11) Use according to claim 6 wherein the ectoparasites are fleas.